



EA MLA Signatory
Český institut pro akreditaci, o.p.s.
Hájkova 2747/22, Žižkov, 130 00 Praha 3

issues

according to section 16 of Act No. 22/1997 Coll., on technical requirements for products, as amended

CERTIFICATE OF ACCREDITATION

No. 53/2025

VZLU AEROSPACE, a.s.
with registered office Beranových 130, Letňany, 199 00 Praha 9,
Company Registration No. 00010669

for the Calibration Laboratory No. 2303
Calibration Laboratory

Scope of accreditation:

Calibration in the field of force to the extent as specified in the appendix to this Certificate.

This Certificate of Accreditation is a proof of Accreditation issued on the basis of assessment of fulfillment of the accreditation criteria in accordance with

ČSN EN ISO/IEC 17025:2018


In its activities performed within the scope and for the period of validity of this Certificate, the Conformity Assessment Body is entitled to refer to this Certificate, provided that the accreditation is not suspended and the Accredited Body meets the specified accreditation requirements in accordance with the relevant regulations applicable to the activity of an accredited Conformity Assessment Body.

This Certificate of Accreditation replaces, to the full extent, Certificate No.: 480/2024 of 12/09/2024, or any administrative acts building upon it.

The Certificate of Accreditation is valid until: **12/09/2029**

Prague: 10/02/2025




Jan Velišek
Director of the Department
of Testing and Calibration Laboratories
Czech Accreditation Institute



Accredited entity according to ČSN EN ISO/IEC 17025:2018:

VZLU AEROSPACE, a.s.
CAB number 2303, Calibration Laboratory
Beranových 130, 199 05 Praha 9 - Letňany

CMC for the field of measured quantity: Force

Ord. number ¹	Calibrated quantity / Subject of calibration	Nominal range			Parameter(s) of the meas. quantity	Lowest stated expanded measurement uncertainty ²	Calibration principle	Calibration procedure identification ³	Location
		min. unit	up to	max. unit					
1*	Load cell	0.1 kN	up to	500 kN	Tension, Pressure	0.05 %	Measurement by force of load cell	PP-SVŘ-034 (ČSN EN ISO 376)	
2*	Machines for mechanical testing of materials	0.1 kN	up to	500 kN	Tension, Pressure	0.05 %	Measurement by force of load cell	PP-SVŘ-029 (ČSN EN ISO 7500-1)	

¹ Asterisk at the ordinal number identifies the calibrations, which the Laboratory is qualified to carry out outside the permanent laboratory premises.

² The expanded measurement uncertainty is in accordance with ILAC-P14 and EA-4/02 M a part of CMC and it is the lowest value of the respective uncertainty. If not stated otherwise, its coverage probability is approx. 95 %. If not stated otherwise, the uncertainty values stated without a unit are relative to the measured value. The uncertainty value stated herein is based on the best conditions achievable by the laboratory; the uncertainty value of a specific calibration may be higher depending on the conditions of such a calibration. For identical extreme values of adjacent ranges, the lower uncertainty value always applies.

³ If the document identifying the calibration procedure is dated only these specific procedures are used. If the document identifying the calibration procedure is not dated, the latest edition of the specified procedure is used (including any changes).

"This document is an appendix to the certificate of accreditation. In case of any discrepancies between the English and Czech versions, the Czech version shall prevail, for both the certificate appendix and the certificate itself."

